Appendix A

Claim Amendments

1. (Currently amended) Compounds A compound of the formula 1

$$R3$$
 N
 $R2$
 $R1$
 X
 Ar
 Ar

in which

- R1 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy- 1-4C-alkyl, 1-4C-alkoxy-alkyl, 2-4C-alkoxy-alkyl, 2-4C-alkyl, fluoro-1-4C-alkyl or hydroxy-1-4C-alkyl,
- R2 is hydrogen, 1-4C-alkyl, aryl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, 1-4C-alkoxycarbonyl, hydroxy-1-4C-alkyl, fluoro-1-4C-alkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, amino, mono- or di-1-4C-alkylamino-1-4C-alkyl or cyanomethyl,
- R3 is halogen, fluoro-1-4C-alkyl, 2-4C-alkenyl, 2-4C-alkynyl, carboxyl, cyano, 1-4C-alkoxycarbonyl, hydroxy-

1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, fluoro-1-4C-alkoxy-1-4C-alkyl or the group -CO-NR31R32,

where

R31 is hydrogen, hydroxyl, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl and

R32 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl, alkoxy-1-4C-alkyl,

or where

R31 and R32 together, including the nitrogen atom to which both are bonded, are a pyrrolidino, piperidino, piperazino, N-1-4C-alkylpiperazino or morpholino group,

X is O (oxygen) or NH and

Ar is a mono- or bicyclic aromatic residue, substituted by R4, R5, R6 and R7, which is selected from the group consisting of phenyl, naphthyl, pyrrolyl, pyrazolyl, imidazolyl, 1,2,3-triazolyl, indolyl, benzimidazolyl, furyl, benzofuryl, thienyl, benzothienyl, thiazolyl, isoxazolyl, pyridinyl, pyrimidinyl, chinolinyl and isochinolinyl,

wherein

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 2-4C-alkenyloxy, 1-4C-alkylcarbonyl, carboxy,

1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, 1-4Calkoxycarbonyl-1-4C-alkyl, halogen, hydroxy, aryl, aryl-1-4C-alkyl, aryl-oxy, aryl-1-4C-alkoxy, trifluoromethyl, nitro, amino, mono- or di-1-4Calkylamino, 1-4C-alkylcarbonylamino, 1-4Calkoxycarbonylamino, 1-4C-alkoxy-1-4Calkoxycarbonylamino or sulfonyl, in which

aryl is phenyl or substituted phenyl with one, two or three identical or different substituents from the group of 1-4C-alkyl, 1-4C-alkoxy, carboxy, 1-4Calkoxycarbonyl, halogen, trifluoromethyl, nitro, trifluoromethoxy, hydroxy and cyano,

is hydrogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-R5 alkoxycarbonyl, halogen, trifluoromethyl or hydroxy, R6 is hydrogen, 1-4C-alkyl, 1-4C-alkoxy, hydroxy or halogen and

R7 is hydrogen, 1-4C-alkyl or halogen, and the salts of these compounds or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.

2. (Currently amended) Compounds A compound of formula 1 according to claim 1, in which X is O (oxygen) or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.

- 3. (Currently amended) Compounds A compound of formula 1 according to claim 1, in which X is NH or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.
- 4. (Currently amended) Compounds A compound of the formula 1 according to claim 1, characterized by the formula 1-1

in which

R1 is hydrogen or 1-4C-alkyl,

R2 is hydrogen or 1-4C-alkyl,

R3 is halogen, carboxyl, 1-4C-alkoxycarbonyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or the group -CO-NR31R32,

where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl and

R32 is hydrogen or 1-7C-alkyl,

or where

R31 and R32 together, including the nitrogen atom to which both are bonded, are a pyrrolidino, piperidino, piperazino, N-1-4C-alkylpiperazino or morpholino group,

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, trifluoromethyl, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino or 1-4C-alkoxy-1-4C-alkoxycarbonylamino,

R5 is hydrogen, 1-4C-alkyl or 1-4C-alkoxy and

X is O (oxygen) or NH,

and the salts of these compounds or a solvate, hydrate,

salt, hydrate of a salt or solvate of a salt thereof.

5. (Currently amended) Compounds A compound of the formula 1-1 according to claim 4, in which

R1 is 1-4C-alkyl,

R2 is 1-4C-alkyl,

R3 is carboxyl, 1-4C-alkoxycarbonyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or the group -CO-NR31R32, where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl and

R32 is hydrogen or 1-7C-alkyl,

or where

R31 and R32 together, including the nitrogen atom to which both are bonded, are a pyrrolidino, piperidino, piperazino, N-1-4C-alkylpiperazino or morpholino group,

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, trifluoromethyl, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino or 1-4C-alkoxy-1-4C-alkoxycarbonylamino,

R5 is hydrogen, 1-4C-alkyl or 1-4C-alkoxy and

X is O (oxygen) or NH,

and the salts of these compounds or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.

6. (Currently amended) Compounds A compound of the formula
1-1 according to claim 4, in which
R1 is 1-4C-alkyl,

- R2 is 1-4C-alkyl,
- R3 is carboxyl, 1-4C-alkoxycarbonyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or the group -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl and

R32 is hydrogen or 1-4C-alkyl,

R4 is 1-4C-alkyl or 1-4C-alkylcarbonylamino,

R5 is 1-4C-alkyl and

X is O (oxygen) or NH,

and their salts or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.

- 7. (Currently amended) Compounds A compound of the formula
- 1-1 according to claim 4, in which
- R1 is 1-4C-alkyl,
- R2 is 1-4C-alkyl,
- R3 is carboxyl, 1-4C-alkoxycarbonyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or the group -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl or hydroxy-1-4C-alkyl and R32 is hydrogen or 1-4C-alkyl,

R4 is 1-4C-alkyl,

R5 is 1-4C-alkyl and

X is O (oxygen) or NH,

and their salts or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.

- 8. (Currently amended) A compound according to claim 4 or 5 or 6 or 7, in which X is NH, or a salt of such compound or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.
- 9. (Currently amended) A medicament pharmaceutical composition comprising a compound as claimed in claim 1 and/or a pharmacologically acceptable solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof together with a suitable pharmaceutical auxiliary and/or excipient customary pharmaceutical auxiliaries and/or excipients.
- 10. (Canceled)
- 11. (Canceled)

- of treating or preventing method 12. (New) A patient comprising gastrointestinal disorder in a thereof administering to а patient in need therapeutically effective amount of a compound of claim 1 or a pharmacologically acceptable solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.
- 13. (New) A compound according to claim 5, in which X is NH, or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.
- 14. (New) A compound according to claim 6, in which X is NH, or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.
- 15. (New) A compound according to claim 7, in which X is NH, or a solvate, hydrate, salt, hydrate of a salt or solvate of a salt thereof.